364852076252201. Local number, 59C 29 SOW 163A.

AQUIFER.--Columbia aquifer of Quaternary age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 35 ft, screened 25 to 35 ft.

INSTRUMENTATION.--Biweekly measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Aug. 21, 1985 to Oct. 9, 1996, bimonthly measurement with chalked tape. Prior to Aug. 21, 1985, occasional measurement with chalked tape.


DATUM.--Elevation of land-surface datum is 15 ft above sea level, from topographic map. Measuring point: Top of casing, 0.9 ft above land-surface datum, prior to Mar. 11, 1996; 2.45 ft Mar. 12, 1996 to May 28, 1998; 3.74 ft thereafter.

REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--November 1981 to current year. Unpublished records available prior to October 1985 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 2.70 ft below land-surface datum, Mar. 14, 1989; lowest measured, 18.39 ft below land-surface datum, Nov. 5, 1991.

DATE	WATER DATE LEVEL		WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	
OCT 18	5.17	JAN 11	5.86	APR 17	5.93	JUL 19	6.62	
WATER YE	CAR 2000	HIGHEST	5.17	OCT 18. 1	1999	LOWEST	6.62 лл	19. 2000



364852076252202. Local number, 59C 30 SOW 163B.

LOCATION.--Lat $36^{\circ}48^{\circ}52^{\circ}$, long $76^{\circ}25^{\circ}22^{\circ}$, Hydrologic Unit 02080208, 0.7 mi southeast of intersection of State Highways 191 and 337 in Chesapeake. Owner: Virginia Department of Environmental Quality.

AQUIFER. -- Middle Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 2 in., depth 948 ft, screened 938 to 948 ft.

INSTRUMENTATION.--Biweekly measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Aug. 21, 1985 to Oct. 9, 1996, bimonthly mesurement with chalked tape. Prior to Aug. 21, 1985, occasional measurement with chalked tape.


DATUM.--Elevation of land-surface datum is 15 ft above sea level, from topographic map. Measuring point: Top of casing, 0.8 ft above land-surface datum, prior to Mar. 11, 1996; 2.47 ft thereafter.

REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by regional drawdown.

PERIOD OF RECORD.--November 1981 to current year. Unpublished records available prior to October 1985 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 67.06 ft below land-surface datum, May 25, 1983; lowest measured, 91.51 ft below land-surface datum, Oct. 11, 1995.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	
OCT 18	90.21	JAN 11	89.53	APR 17	88.68	JUL 19	90.06	
WATER YE	AR 2000	HIGHEST	88 68	APR 17. 2	2000	LOWEST 9	0 21 OCT 18	1999



364852076252203. Local number, 59C 31 SOW 163C.

LOCATION.--Lat $36^{\circ}48^{\circ}52^{\circ}$, long $76^{\circ}25^{\circ}22^{\circ}$, Hydrologic Unit 02080208, 0.7 mi southeast of intersection of State Highways 191 and 337 in Chesapeake. Owner: Virginia Department of Environmental Quality.

AQUIFER. -- Brightseat-upper Potomac aquifer of Cretaceous-Paleocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 2 in., depth 631 ft, screened 621 to 631 ft.

INSTRUMENTATION.--Biweekly measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Aug. 21, 1985 to Oct. 9, 1996, bimonthly measurement with chalked tape. Prior to Aug. 21, 1985, occasional measurement with chalked tape.


DATUM.--Elevation of land-surface datum is 15 ft above sea level, from topographic map. Measuring point: Top of casing, 1.2 ft above land-surface datum, prior to Mar. 11, 1996; 2.88 ft thereafter.

REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by regional drawdown.

PERIOD OF RECORD.--November 1981 to current year. Unpublished records available prior to October 1985 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 67.13 ft below land-surface datum, Feb. 23, 1983; lowest measured, 94.12 ft below land-surface datum, Oct. 11, 1995.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 18	90.99	JAN 11	90.35	APR 17	88.84	JUL 19	90.75
WATER YE	AR 2000	HIGHEST	88 84	APR 17. 2	2000	LOWEST 90	99 OCT 18, 1999



363836076201701. Local number, 60B 3 SOW 090A.

LOCATION.--Lat 36°38'36", long 76°20'17", Hydrologic Unit 03010205, 0.15 mi north of intersection of Benefit and West Roads, 1.5 mi north of Cornland. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Brightseat-upper Potomac aquifer of Cretaceous-Paleocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 855 ft, screened 824 to 834 ft.

INSTRUMENTATION.-- Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Aug. 25, 1985 to Oct. 12, 1995, continuous strip-chart recorder. Prior to Aug. 25, 1985, occasional measurement with chalked tape.


DATUM.--Elevation of land-surface datum is 16 ft above sea level, from topographic map. Measuring point: Top of casing, 1.0 ft above land-surface datum.

REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by regional drawdown.

PERIOD OF RECORD.--July 1978 to current year. Unpublished records available prior to October 1985 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 53.80 ft below land-surface datum, Jul. 11, 1978; lowest recorded, 85.85 ft below land-surface datum, Jul. 10, 2000.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV 01	85.43	JAN 11	85.59	APR 17	85.62	JUL 10	85.85
WATER YE	AR 2000	HIGHEST	85.43	NOV 01. 1	999	LOWEST 85	.85 дтл. 10. 2000



363836076201702. Local number, 60B 4 SOW 090B.

LOCATION.--Lat 36°38'36", long 76°20'17", Hydrologic Unit 03010205, 0.15 mi north of intersection of Benefit and West Roads, 1.5 mi north of Cornland. Owner: Virginia Department of Environmental Quality.

AQUIFER. -- Virginia Beach aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in., depth 556 ft, screened 525 to 535 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 9, 1985, to Jul. 6, 1995, bimonthly measurement with chalked tape. Prior to Oct. 9, 1985, occasional measurement with chalked tape.


DATUM.--Elevation of land-surface datum is 16 ft above sea level, from topographic map. Measuring point: Top of casing, 2.05 ft above land-surface datum prior to Mar. 2, 1988; 1.2 ft thereafter.

REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by regional drawdown.

PERIOD OF RECORD.--February 1978 to current year. Unpublished records available prior to October 1985 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 2.20 ft above land-surface datum, Feb. 1, 1978; lowest measured, 9.42 ft below land-surface datum, Jul. 10, 2000.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	
NOV 01	8.67	JAN 11	8.80	APR 17	9.12	JUL 10	9.42	
WATER YE	CAR 2000	HIGHEST	8.67	NOV 01. 1	999	LOWEST	9.42 дтп. 1	0. 2000



364615076182101. Local number, 60C 41 SOW 164.

LOCATION.--Lat 36°46'15", long 76°18'21", Hydrologic Unit 02080208, 50 ft north of entrance road to Virginia Power powerplant, 500 ft south of Military Highway in Chesapeake. Owner: Virginia Power.

AQUIFER.--Brightseat-upper Potomac aquifer of Cretaceous-Paleocene age

WELL CHARACTERISTICS.--Drilled unused water well, diameter 6 in. to 400 ft, diameter 4 in. from 400 to 928 ft, depth 928 ft, screened 770 to 780 ft, 875 to 885 ft, 918 to 928 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Nov. 25, 1982 to Oct. 12, 1995, continuous strip-chart recorder. Prior to Nov. 25, 1982, occasional measurement with chalked tape.


DATUM.--Elevation of land-surface datum is 10 ft above sea level, from topographic map. Measuring point: Top of casing, 1.6 ft above land-surface datum prior to Jul. 15, 1987; 1.5 ft thereafter.

REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by regional drawdown

PERIOD OF RECORD.--February 1982 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Divisioon.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 55.22 ft below land-surface datum, Mar. 15, 1983; lowest recorded, 79.67 ft below land-surface datum, Jul. 10, 2000.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	
OCT 18	78.66	JAN 06	79.32	APR 17	78.48	JUL 10	79.67	
WATER YE	AR 2000	HIGHEST	78 48	APR 17. 2	2000	LOWEST 79	9 67 μπ. 10. 2000	



364227076074702. Local number, 61B 5 SOW 091B.

LOCATION.--Lat 36°42'27", long 76°07'47", Hydrologic Unit 03010205, 300 ft south of Lockheed Avenue, 0.7 mi east of intersection of State Highway 165 and Lockheed Avenue, and 3.8 mi east of Fentress. Owner: Virginia Department of Environmental Quality.

AQUIFER. -- Brightseat-upper Potomac aquifer of Cretaceous-Paleocene age.

WELL CHARACTERISTICS. -- Drilled observation water well, diameter 4 in., depth 1,060 ft, screened 1,040 to 1,060 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 9, 1985, to Jul. 6, 1995, bimonthly measurement with chalked tape. Prior to Oct. 9, 1985, occasional measurement with chalked tape.


DATUM.--Elevation of land-surface datum is 15 ft above sea level, from topographic map. Measuring point: Top of casing, 1.5 ft above land-surface datum.

REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by regional drawdown.

PERIOD OF RECORD.--June 1979 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 27.83 ft below land-surface datum, Aug. 28, 1980; lowest measured, 67.75 ft below land-surface datum, Jul. 25, 2000.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 25	66.54	JAN 24	67.17	MAY 09	67.40	JUL 25	67.75
WATER YE	AR 2000	HIGHEST	66 54	ОСТ 25. 1	999	LOWEST 67	75 JTITI 25, 2000



364227076074703. Local number, 61B 6 SOW 091C.

LOCATION.--Lat 36°42'27", long 76°07'47", Hydrologic Unit 03010205, 300 ft south of Lockheed Avenue, 0.7 mi east of intersection of State Highway 165 and Lockheed Avenue, and 3.8 mi east of Fentress. Owner: Virginia Department of Environmental Quality.

AQUIFER. -- Virginia Beach aquifer of Cretaceous age.

WELL CHARACTERISTICS .-- Drilled observation water well, diameter 4 in., depth 780 ft, screened 760 to 780 ft.

INSTRUMENTATION.--Occasional measurement with manometer or chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 9, 1985, to Jul. 6, 1995, bimonthly measurement with chalked tape. Prior to Oct. 9, 1985, occasional measurement with manometer.


DATUM.--Elevation of land-surface datum is 15 ft above sea level, from topographic map. Measuring point: Top of casing, 7.0 ft above land-surface datum prior to Jan. 11, 1989; 1.2 ft thereafter.

REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by regional drawdown. This well is known to contain dissolved solids greater than 1,000 mg/L.

PERIOD OF RECORD.--July 1979 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 6.37 ft above land-surface datum, Jul. 26, 1979; lowest measured, 1.71 ft below land-surface datum, Jul. 25, 2000.

DATE	WATER DATE LEVEL		WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	
OCT 25	1.09	JAN 24	1.20	MAY 09	1.42	JUL 25	1.71	
WATER YE	EAR 2000	HIGHEST	1.09	OCT 25, 1	L999	LOWEST	1.71 JUL	25, 2000



364231076140801. Local number, 61B 8 SOW 134.

 $\label{location.--Lat 36°42'31", long 76°14'08", Hydrologic Unit 03010205, at Great Bridge Junior High School, in Great Bridge. Owner: Virginia Department of Environmental Quality.$

AQUIFER. -- St. Marys-Choptank aquifer of Miocene age.

WELL CHARACTERISTICS .-- Drilled unused water well, diameter 8 in., depth 100 ft, screened 84 to 94 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Oct. 9, 1985, to Jul. 5, 1995, bimonthly measurement with chalked tape. Prior to Oct. 9, 1985, occasional measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 20 ft above sea level, from topographic map. Measuring point:


Top of casing, 0.8 ft above land-surface datum.

REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD.--January 1979 to current year. Unpublished records available prior to October 1987 in files of the Virginia Department of Environmental Quality - Water Division.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 3.80 ft below land-surface datum, Apr. 14, 1993; lowest measured, 16.07 ft below land-surface datum, Sep. 18, 1980.

DATE	WATER DATE LEVEL		WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	
NOV 29	4.91	JAN 24	5.11	MAY 09	4.85	JUL 31	5.48	
WATER YE	EAR 2000	HIGHEST	4 85	MAY 09.	2000	LOWEST	5 48 JTITL 31 2000	



94 GROUND-WATER LEVELS

CITY OF CHESAPEAKE

364227076074706. Local number, 61B 12 SOW 091E.

LOCATION.--Lat 36°42'27", long 76°07'47", Hydrologic Unit 03010205, 300 ft south of Lockheed Avenue, 0.7 mi east of intersection of State Highway 165 and Lockheed Avenue, and 3.8 mi east of Fentress. Owner: Virginia Department of Environmental Quality.

AQUIFER. -- Lower Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in. to 1,630 ft, diameter 2 in. from 1,630 to 1,830 ft, depth 1,830 ft, screened 1,820 to 1,830 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Prior to Jul. 6, 1995, bimonthly measurement with chalked tape.


DATUM.--Elevation of land-surface datum is 15 ft above sea level, from topographic map. Measuring point: Top of casing, 1.4 ft above land-surface datum.

REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by regional drawdown. Low water-level drawdown after April 1998 is the result of pumping of the well. Cause of nonrecovery to pre-pumpage level is unknown. This well is known to contain dissolved solids greater than 1,000 mg/L.

PERIOD OF RECORD .-- March 1989 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 41.50 ft below land-surface datum, Jun. 21, 1989; lowest measured, 84.82 ft below land-surface datum, Jul. 25, 2000.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 25	84.13	JAN 24	84.42	MAY 09	84.61	JUL 25	84.82
WATER YE	AR 2000	HIGHEST	84 13	ОСТ 25. 1	999	LOWEST 84	82 JIII, 25, 2000



364227076074707. Local number, 61B 13 SOW 091F.

LOCATION.--Lat 36°42'27", long 76°07'47", Hydrologic Unit 03010205, 300 ft south of Lockheed Avenue, 0.7 mi east of intersection of State Highway 165 and Lockheed Avenue, and 3.8 mi east of Fentress. Owner: Virginia Department of Environmental Quality.

AQUIFER. -- Middle Potomac aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in. to 1,270 ft, diameter 2 in. from 1,270 to 1,390 ft, depth 1,390 ft, screened 1,370 to 1,380 ft.

INSTRUMENTATION.--Continuous strip-chart recorder. Jul. 6, 1995 to Feb. 13, 1997, occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Prior to Jul. 6, 1995, bimonthly measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 15 ft above sea level, from topographic map. Measuring point: Top of casing, 1.1 ft above land-surface datum.

REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by regional drawdown. Missing record due to recorder malfunction. This well is known to contain dissolved solids greater than 1,000 mg/L.


PERIOD OF RECORD. -- March 1989 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 49.00 ft below land-surface datum, Aug. 10, 1989; lowest measured, 71.64 ft below land-surface datum, Sep. 22, 2000.

EXTREMES FOR CURRENT YEAR.--Highest instantaneous water level, 69.64 ft below land-surface datum, Oct. 18; lowest instantaneous water level, 71.64 ft below land-surface datum, Sep. 22.

WATER LEVELS	ΙN	FEET	BELOW	LAND	SURFACE	DATUM,	WATER	YEAR	OCTOBER	1999	TO	SEPTEMBER	2000

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
5	70.08	70.40	70.62	70.90	70.98	71.00	71.12	71.61	71.20	71.25	71.29	71.47
10	70.18	70.38	70.68	70.77	70.98	71.05	71.18	71.05	71.26	71.36	71.34	71.54
15	70.29	70.37	70.60	71.02	71.04	71.16	71.22	71.25	71.30	71.38	71.34	71.51
20	70.08	70.58	70.72	70.83	71.01	71.22	71.03	71.21	71.32	71.44	71.47	71.55
25	70.28	70.57	70.81	70.75	71.06	71.14	70.99	71.13	71.31	71.40	71.48	71.52
EOM	70.33	70.67	70.78	70.86	71.04	71.18	71.11	71.22	71.17	71.35	71.41	71.60



364227076074708. Local number, 61B 14 SOW 091G.

LOCATION.--Lat 36°42'27", long 76°07'47", Hydrologic Unit 03010205, 300 ft south of Lockheed Avenue, 0.7 mi east of intersection of State Highway 165 and Lockheed Avenue, and 3.8 mi east of Fentress. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Brightseat-upper Potomac aquifer of Cretaceous-Paleocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in. to 987 ft, diameter 2 in. from 987 to 1,110 ft, depth 1,110 ft, screened 1,090 to 1,100 ft.

INSTRUMENTATION.--Continuous strip-chart recorder. Jul. 6, 1995 to Feb. 13, 1997, occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Prior to Jul. 6, 1995, bimonthly measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 15 ft above sea level, from topographic map. Measuring point: Top of casing, 0.9 ft above land-surface datum.

REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by regional drawdown. This well is known to contain dissolved solids greater than 1,000 mg/L.


PERIOD OF RECORD .-- March 1989 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 51.30 ft below land-surface datum, Mar. 22, 1989; lowest measured, 67.40 ft below land-surface datum, Sep. 22, 23, 2000.

EXTREMES FOR CURRENT YEAR.--Highest instantaneous water level, 65.48 ft below land-surface datum, Oct. 18; lowest instantaneous water level, 67.40 ft below land-surface datum, Sep. 22, 23, 2000.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1999 TO SEPTEMBER 2000

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
5	65.84	66.28	66.52	66.78	66.78	66.82	66.87	66.92	66.98	67.03	67.06	67.24
10	66.00	66.27	66.55	66.69	66.82	66.82	66.95	66.85	67.00	67.12	67.11	67.32
15	66.00	66.23	66.50	66.90	66.87	66.99	67.00	67.00	67.05	67.18	67.12	67.30
20	65.86	66.44	66.60	66.78	66.88	67.05	66.77	66.96	67.07	67.20	67.23	67.30
25	66.12	66.46	66.68	66.58	66.92	66.98	66.77	66.90	67.07	67.22	67.28	67.29
EOM	66.18	66.52	66.67	66.65	66.88	66.99	66.85	66.96	66.84	67.16	67.21	67.35



WATER

DATE

CITY OF CHESAPEAKE

364227076074709. Local number, 61B 15 SOW 091H.

LOCATION.--Lat 36°42'27", long 76°07'47", Hydrologic Unit 03010205, 300 ft south of Lockheed Avenue, 0.7 mi east of intersection of State Highway 165 and Lockheed Avenue, and 3.8 mi east of Fentress. Owner: Virginia Department of Environmental Quality.

AQUIFER. -- Virginia Beach aquifer of Cretaceous age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4 in. to 700 ft, diameter 2 in. from 674 to 790 ft, depth 790 ft, screened 759 to 769 ft.

INSTRUMENTATION.--Occasional measurement with manometer or chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Prior to Jul. 6, 1995, bimonthly measurement with manometer.

DATUM.--Elevation of land-surface datum is 15 ft above sea level, from topographic map. Measuring point: Top of casing, 1.1 ft above land-surface datum.

REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by regional drawdown.

WATER

DATE

PERIOD OF RECORD. -- March 1989 to current year.

DATE


WATER

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 3.75 ft above land-surface datum, Apr. 20, 1989; lowest measured, 0.54 ft above land-surface datum, Jul. 25, 2000.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1999 TO SEPTEMBER 2000 (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE

WATER



98 GROUND-WATER LEVELS

CITY OF CHESAPEAKE

364227076074710. Local number, 61B 16 SOW 091J.

LOCATION.--Lat 36°42'27", long 76°07'47", Hydrologic Unit 03010205, 300 ft south of Lockheed Avenue, 0.7 mi east of intersection of State Highway 165 and Lockheed Avenue, and 3.8 mi east of Fentress. Owner: Virginia Department of Environmental Quality.

AQUIFER. -- Chickahominy-Piney Point aquifer of Eocene-Oligocene age

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4.5 in. to 602 ft, diameter 2 in. from 586 to 690 ft, depth 690 ft, screened 670 to 680 ft.


INSTRUMENTATION.--Occasional measurement with manometer or chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Prior to Jul. 6, 1995, bimonthly measurement with manometer.


DATUM.--Elevation of land-surface datum is 15 ft above sea level, from topographic map. Measuring point: Top of casing, 1.1 ft above land-surface datum.

REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division. Water level affected by regional drawdown. This well is known to contain dissolved solids greater than 1,000 mg/L.

PERIOD OF RECORD. -- March 1989 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 3.31 ft above land-surface datum, Mar. 13, 1989; lowest measured, 1.07 ft below land-surface datum, Jul. 25, 2000.





364227076074711. Local number, 61B 17 SOW 091K.

LOCATION.--Lat 36°42'27", long 76°07'47", Hydrologic Unit 03010205, 300 ft south of Lockheed Avenue, 0.7 mi east of intersection of State Highway 165 and Lockheed Avenue, and 3.8 mi east of Fentress. Owner: Virginia Department of Environmental Quality.

AQUIFER. --Yorktown-Eastover aquifer of Miocene-Pliocene age.

WELL CHARACTERISTICS.--Drilled observation water well, diameter 4.5 in. to 78 ft, diameter 2 in. from 78 to 108 ft, depth 108 ft, screened 88 to 98 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Prior to Jul. 6, 1995, bimonthly measurement with chalked tape.


DATUM.--Elevation of land-surface datum is 15 ft above sea level, from topographic map. Measuring point: Top of casing, 1.3 ft above land-surface datum.

REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD. -- March 1989 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 5.00 ft below land-surface datum, Jan. 30, 1991; lowest measured, 9.44 ft below land-surface datum, Nov. 5, 1997.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	
OCT 25	6.03	JAN 24	6.24	MAY 09	6.02	JUL 25	7.40	
WATER YE	EAR 2000	HIGHEST	6.02	MAY 09,	2000	LOWEST	7.40 JUL 25	5, 2000



100 GROUND-WATER LEVELS

CITY OF CHESAPEAKE

364227076074713. Local number, 61B 19 SOW 091M.

LOCATION.--Lat 36°42'27", long 76°07'47", Hydrologic Unit 03010205, 300 ft south of Lockheed Avenue, 0.7 mi east of intersection of State Highway 165 and Lockheed Avenue, and 3.8 mi east of Fentress. Owner: Virginia Department of Environmental Quality.

AQUIFER.--Columbia aquifer of Quaternary age.

WELL CHARACTERISTICS. -- Drilled observation water well, diameter 4.5 in., depth 20 ft, screened 10 to 20 ft.

INSTRUMENTATION.--Occasional measurement with chalked tape by Virginia Department of Environmental Quality - Water Division personnel. Prior to Jul. 6, 1995, bimonthly measurement with chalked tape.

DATUM.--Elevation of land-surface datum is 15 ft above sea level, from topographic map. Measuring point: Top of casing, 1.1 ft above land-surface datum.

REMARKS.--Records provided by the Virginia Department of Environmental Quality - Water Division.

PERIOD OF RECORD. -- March 1989 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 1.09 ft below land-surface datum, Feb. 26, 1992; lowest measured, 6.74 ft below land-surface datum, Nov. 1, 1994.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	
OCT 25	2.11	JAN 24	2.33	MAY 09	3.22	JUL 25	3.02	
WATER Y	EAR 2000	HIGHEST	2.11	OCT 25, 1	L999	LOWEST	3.22 MAY	09, 2000

